GLUCOSINOLATES: REGULATION OF BIOSYNTHESIS AND HYDROLYSIS

EDITED BY: Ralph Kissen, Tamara Gigolashvili and Naveen C. Bisht

PUBLISHED IN: Frontiers in Plant Science

frontiers Research Topics

frontiers

ISSN 1664-8714
ISBN 978-2-88966-372-9
DOI 10.3389/978-2-88966-372-9

About Frontiers

Frontiers is more than just an open-access publisher of scholarly articles: it is a pioneering approach to the world of academia, radically improving the way scholarly research is managed. The grand vision of Frontiers is a world where all people have an equal opportunity to seek, share and generate knowledge. Frontiers provides immediate and permanent online open access to all its publications, but this alone is not enough to realize our grand goals.

Frontiers Journal Series

The Frontiers Journal Series is a multi-tier and interdisciplinary set of open-access, online journals, promising a paradigm shift from the current review, selection and dissemination processes in academic publishing. All Frontiers journals are driven by researchers for researchers; therefore, they constitute a service to the scholarly community. At the same time, the Frontiers Journal Series operates on a revolutionary invention, the tiered publishing system, initially addressing specific communities of scholars, and gradually climbing up to broader public understanding, thus serving the interests of the lay society, too.

Dedication to Quality

Each Frontiers article is a landmark of the highest quality, thanks to genuinely collaborative interactions between authors and review editors, who include some of the world's best academicians. Research must be certified by peers before entering a stream of knowledge that may eventually reach the public - and shape society; therefore, Frontiers only applies the most rigorous and unbiased reviews.
Frontiers revolutionizes research publishing by freely delivering the most outstanding research, evaluated with no bias from both the academic and social point of view. By applying the most advanced information technologies, Frontiers is catapulting scholarly publishing into a new generation.

What are Frontiers Research Topics?

Frontiers Research Topics are very popular trademarks of the Frontiers Journals Series: they are collections of at least ten articles, all centered on a particular subject. With their unique mix of varied contributions from Original Research to Review Articles, Frontiers Research Topics unify the most influential researchers, the latest key findings and historical advances in a hot research area! Find out more on how to host your own Frontiers Research Topic or contribute to one as an author by contacting the Frontiers Editorial Office: researchtopics@frontiersin.org

GLUCOSINOLATES: REGULATION OF BIOSYNTHESIS AND HYDROLYSIS

Topic Editors:
Ralph Kissen, Norwegian University of Science and Technology, Norway
Tamara Gigolashvili, University of Cologne, Germany
Naveen C. Bisht, National Institute of Plant Genome Research (NIPGR), India

Citation: Kissen, R., Gigolashvili, T., Bisht, N. C., eds. (2021). Glucosinolates: Regulation of Biosynthesis and Hydrolysis. Lausanne: Frontiers Media SA. doi: 10.3389/978-2-88966-372-9

Table of Contents

frontiers in Plant Science

ORIGINAL RESEARCH
published: 10 March 2020
doi: 10.3389/fpls.2020.00257

The Role of a Glucosinolate-Derived Nitrile in Plant Immune Responses

Hieng-Ming Ting[1], Boon Huat Cheah[2], Yu-Cheng Chen[1], Pei-Min Yeh[1], Chiu-Ping Cheng[1], Freddy Kuok San Yeo[3], Ane Kjersti Vie[4], Jens Rohloff[4], Per Winge[4], Atle M. Bones[4] and Ralph Kissen[4]**

[1] Institute of Plant Biology and Department of Life Science, National Taiwan University, Taipei, Taiwan, [2] Department of Agronomy, National Taiwan University, Taipei, Taiwan, [3] Faculty of Resource Science and Technology, Universiti Malaysia Sarawak, Kota Samarahan, Malaysia, [4] Cell, Molecular Biology and Genomics Group, Department of Biology, Norwegian University of Science and Technology, Trondheim, Norway

Glucosinolates are defense-related secondary metabolites found in Brassicaceae. When Brassicaceae come under attack, glucosinolates are hydrolyzed into different forms of glucosinolate hydrolysis products (GHPs). Among the GHPs, isothiocyanates are the most comprehensively characterized defensive compounds, whereas the functional study of nitriles, another group of GHP, is still limited. Therefore, this study investigates whether 3-butenenitrile (3BN), a nitrile, can trigger the signaling pathways involved in the regulation of defense responses in *Arabidopsis thaliana* against biotic stresses. Briefly, the methodology is divided into three stages, (i) evaluate the physiological and biochemical effects of exogenous 3BN treatment on Arabidopsis, (ii) determine the metabolites involved in 3BN-mediated defense responses in Arabidopsis, and (iii) assess whether a 3BN treatment can enhance the disease tolerance of Arabidopsis against necrotrophic pathogens. As a result, a 2.5 mM 3BN treatment caused lesion formation in Arabidopsis Columbia (Col-0) plants, a process found to be modulated by nitric oxide (NO). Metabolite profiling revealed an increased production of soluble sugars, Krebs cycle associated carboxylic acids and amino acids in Arabidopsis upon a 2.5 mM 3BN treatment, presumably via NO action. Primary metabolites such as sugars and amino acids are known to be crucial components in modulating plant defense responses. Furthermore, exposure to 2.0 mM 3BN treatment began to increase the production of salicylic acid (SA) and jasmonic acid (JA) phytohormones in Arabidopsis Col-0 plants in the absence of lesion formation. The production of SA and JA in nitrate reductase loss-of function mutant (*nia1nia2*) plants was also induced by the 3BN treatments, with a greater induction for JA. The SA concentration in *nia1nia2* plants was lower than in Col-0 plants, confirming the previously reported role of NO in controlling SA production in Arabidopsis. A 2.0 mM 3BN treatment prior to pathogen assays effectively alleviated the leaf lesion symptom of Arabidopsis Col-0 plants caused by *Pectobacterium carotovorum* ssp. *carotovorum* and *Botrytis cinerea* and reduced the pathogen growth on leaves. The findings of this study demonstrate that 3BN can elicit defense response pathways in Arabidopsis, which potentially involves a coordinated crosstalk between NO and phytohormone signaling.

Keywords: secondary metabolites, glucosinolates, nitriles, metabolomics, transcriptomics, plant innate immunity

OPEN ACCESS

Edited by:
Aleš Svatoš, Max Planck Institute for Chemical Ecology, Germany

Reviewed by:
Irene García, Institute of Plant Biochemistry and Photosynthesis (IBVF), Spain
Thomas Leustek, Rutgers, The State University of New Jersey, United States

****Correspondence:***
Hieng-Ming Ting
jimmytinghm@ntu.edu.tw
Ralph Kissen
ralph.kissen@ntnu.no

Specialty section:
This article was submitted to Plant Metabolism and Chemodiversity, a section of the journal Frontiers in Plant Science

Received: *31 October 2019*
Accepted: *19 February 2020*
Published: *10 March 2020*

Citation:
Ting H-M, Cheah BH, Chen Y-C, Yeh P-M, Cheng C-P, Yeo FKS, Vie AK, Rohloff J, Winge P, Bones AM and Kissen R (2020) The Role of a Glucosinolate-Derived Nitrile in Plant Immune Responses. Front. Plant Sci. 11:257. doi: 10.3389/fpls.2020.00257